



**General Assembly**

Distr.  
GENERAL

A/AC.237/81/Corr.1  
15 March 1995

Original: ENGLISH

---

INTERGOVERNMENTAL NEGOTIATING COMMITTEE  
FOR A FRAMEWORK CONVENTION ON CLIMATE CHANGE  
Eleventh session  
New York, 6-17 February 1995

**MATTERS RELATED TO COMMITMENTS**

**FIRST REVIEW OF INFORMATION COMMUNICATED BY EACH PARTY  
INCLUDED IN ANNEX I TO THE CONVENTION**

**Compilation and synthesis of national communications  
from Annex I Parties**

Corrigendum

Page 34, table 1, column headed "Data from projection - 2000 level - (Gg)":

The entry for Australia should read 332 799

Page 34, table 1, column headed "Variations from projection (Percentage)":

The entry for Australia should read 15.1

Page 36, table 2, column headed "Data from projection - 2000 level - (Gg)":

The entry for Australia should read 121 992

Page 36, table 2, column headed "Variations from projection (Percentage)":

The entry for Australia should read -6.8

Page 38, table 4, column headed "Data from inventory -1990 level - (Gg)":

The entry for Austria should read 4.1

Page 38, table 4, Comments, last sentence:

For due to closing old adipic acid plants read owing to modernizing and/or closing existing plants

Page 40, table 6, column headed "Data from projection - 2000 level - (Gg)":

The entry for Australia should read 512 850

Page 40, table 6, column headed "Variations from projection (Percentage)":

The entry for Australia should read 10.1

Page 60, table A.1:

For \*See notes to table 2. read \*See notes to table A.2.

Page 68, table A.5:

The figures for Austria should read

0.5 13 0.9 22 0.6 15 2.0 49 [blank] [blank] [blank] [blank] 4.1

Page 70, table A.6:

Replace table with table A.6 below; bold-face indicates new figures

Page 72, table A.8, Notes, e):

For Estimates from the Party expressed as N<sub>2</sub>O read Estimates from the Party expressed as NO<sub>2</sub>

**Table A.6. Anthropogenic emissions from international bunkers, 1990 <sup>a)</sup>**  
(Gigagrams)

	CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O	CO	NO <sub>x</sub>	NMVOC
Australia	6 281	0.130	<b>0.08</b>	6.8	70.81	2.28
Canada	5 632	0.291	0.60	37.8	17.70	10.70
Denmark	4 974	0.100	0.10	17.3	71.20	2.70
Germany	<b>19 000</b>		<b>0.00</b>	<b>205.0</b>	<b>95.00</b>	<b>25.00</b>
Japan	31 000					
Netherlands	40 400					
New Zealand	2 398	1.100	2.20		44.10	
Norway	1 800	0.400	0.10	2.9	32.80	0.10
Sweden	4 190	1.300	0.04	44.0	60.00	15.00
Switzerland	2 100					
UK <sup>b)</sup>	28 980	0.600		65.8	303.00	5.80
USA	<b>82 866</b>					
Total	229 621	3.921	3.11	313.8	694.61	61.58

#### Notes

Figures in bold-face indicate corrections to table A.6 in document A/AC.237/81.

<sup>a)</sup> Austria, the Czech Republic and Spain did not report emissions from bunker fuels.

<sup>b)</sup> Provisional estimates provided during the review.

#### Comments

Twelve Parties provided emissions estimates from bunker fuels. In accordance with the guidelines, 11 of these Parties provided such information in a separate category and did not include them in total national emissions. One Party included emissions from bunker fuels in its total but also reported the corresponding figure separately. **For half of the Parties, emissions from bunkers represented 5 to 10 per cent of national CO<sub>2</sub> emissions, excluding land use change and forestry. For five Parties, such emissions represented from 1.2 to 2.64 per cent; for one Party, CO<sub>2</sub> emissions from bunker fuels represented 24 per cent of its national CO<sub>2</sub> emissions. Concerning NO<sub>x</sub> emissions, it was found that for half of the Parties, such emissions represented 15 to 30 per cent of national NO<sub>x</sub> emissions.**

For the 12 Parties that reported CO<sub>2</sub> emissions from bunker fuels, such emissions represented **2.7** per cent of their energy-related emissions. The reporting of emissions from bunker fuels of gases other than CO<sub>2</sub> was incomplete. However, aggregate emissions of such gases appeared to be negligible compared with aggregate energy-related emissions. The emission ratios between CO<sub>2</sub> and other gases sometimes varied up to a factor of 100.